

Message

From: Clark, Kevin [clark.kevin@epa.gov]
Sent: 8/9/2022 7:13:08 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
CC: [Nonresponsive based on revised scope] [Nonresponsive Based on Revised Scope]
Subject: Re: Shiloh Church Road Removal TD

Of course, happy to help!

Kevin Clark
On-Scene Coordinator
EPA Region 3
304-231-7501

On Aug 9, 2022, at 13:16, Wagner, Christine <Wagner.Christine@epa.gov> wrote:

That's awesome!
Thank you Kevin!!

On Aug 9, 2022, at 1:11 PM, [Nonresponsive based on revised scope] y@tetrattech.com> wrote:

Chris,

I got confirmation from Kevin Clark in the Wheeling EPA office that they have an XRF unit we can use for Shiloh. This will prevent us from having to rent a unit elsewhere. Kevin will be dropping it off at our Green Tree, PA (Pittsburgh) office this afternoon.

[Nonresponsive based on revised scope] Environmental Scientist II
[Nonresponsive based on revised scope] Business [Nonresponsive based on revised scope] Mobile [Nonresponsive based on revised scope]
[Nonresponsive based on revised scope] [Nonresponsive Based on Revised Scope]

Nonresponsive Based on Revised Scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: [Nonresponsive based on revised scope] [Nonresponsive Based on Revised Scope]
Sent: Monday, August 8, 2022 6:49 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: Re: Shiloh Church Road Removal TD

Evening Chris,

Ex. 6 Personal Privacy (PP)

Mid-morning on Thursday will work fine. I'll be available tomorrow morning to discuss the sampling event.

Nonresponsive based on revised scope | Environmental Scientist II
Business Nonresponsive based on revised scope | Mobile Nonresponsive based on revised scope
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope

Nonresponsive Based on Revised Scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>

Sent: Monday, August 8, 2022 6:00:56 PM

To: Nonresponsive based on revised scope Nonresponsive Based on Revised Scope

Subject: Re: Shiloh Church Road Removal TD

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Hi

Thanks

I can also mobilize Wed afternoon to do the sampling on Thurs. I don't like to go to resident's home first thing in the morning so I will try to schedule for mid morning. Will that work?

Ex. 6 Personal Privacy (PP) I will call you tomorrow morning

Thanks

Chris

On Aug 8, 2022, at 10:30 AM, Nonresponsive based on revised scope
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope wrote:

Morning Chris,

We have a lab assigned for Shiloh sampling. I can mobilize on Wednesday to be onsite half day Wednesday through half of Friday, this week.

Nonresponsive based on revised scope | Environmental Scientist II
Business Nonresponsive based on revised scope | Mobile Nonresponsive based on revised scope
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope

Nonresponsive Based on Revised Scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>

Sent: Thursday, August 4, 2022 5:10 PM

To: [Nonresponsive based on revised scope] [Nonresponsive Based on Revised Scope]

Subject: Re: Shiloh Church Road Removal TD

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

[Nonresponsive based on revised scope]

That sounds about right. We sampled for metals on her home before at the spigot. In the very beginning (Weston days) we sampled all residents initially for PCBs bc it is a contaminant of concern. We will test this well for PCBs just to have the record. I do not suspect we will find PCBs, but I want to rule it out Standard Turnaround time on this analysts

I don't believe there are any filters on this house. EPA did not put a treatment system here. However, this resident lives on Property 3, which is where all the lead is (more on that later) so our focus is on metals here

[Nonresponsive based on revised scope] & [] spent considerable time here, so they may be able to help you if needed

Thanks
Chris

On Aug 4, 2022, at 4:52 PM, [Nonresponsive based on revised scope]
[Nonresponsive based on revised scope] [Nonresponsive Based on Revised Scope] > wrote:

Great!

Following up on what I have written down from our call this afternoon, we will only be sampling one resident ASAP that does not have a treatment system installed in their dwelling.

I'm looking over the latest SCRIBE file with [] our sample coordinator and it looks like on the residents that have treatment systems we collected a pre, mid, and post samples. The last event samples were only analyzed for CLP Trace TAL VOC and CLP TAL Metals, no PCB analysis was completed.

RW17 is not treated so we will only need to collect one sample + duplicate and a trip and field blank.

Let me know if this sounds and looks correct!

Nonresponsive based on revised scope | Environmental Scientist II
Business | Nonresponsive based on revised scope | Mobile + | Nonresponsive based on revised scope
Nonresponsive based on revised scope | @tetrattech.com

Nonresponsive Based on Revised Scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Thursday, August 4, 2022 4:47 PM
To: Nonresponsive based on revised scope | Nonresponsive Based on Revised Scope
Subject: Re: Shiloh Church Road Removal TD

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Yes!

You're doing great! I'm very excited to have you taking the lead

Thank you

On Aug 4, 2022, at 4:44 PM | Nonresponsive based on revised scope
Nonresponsive based on revised scope | Nonresponsive Based on Revised Scope
wrote:

Chris,

I found the following information for

Ex. 6 Personal Privacy (PP)

Ex. 6 Personal Privacy (PP)

Let me know if this information looks accurate!

Thanks,

Nonresponsive based on revised scope Environmental
Scientist II
Business Nonresponsive based on revised scope Mobile
Nonresponsive based on revised scope
Nonresponsive Based on Revised Scope

Nonresponsive Based on Revised Scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine

[<Wagner.Christine@epa.gov>](mailto:Wagner.Christine@epa.gov)

Sent: Wednesday, August 3, 2022 5:49 PM

To: Nonresponsive based on revised scope
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope

Subject: Re: Shiloh Church Road
Removal TD

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Thanks


This info is very helpful. Let's talk very soon. Are you available for a call tomorrow afternoon? We have to get out and sample one residence asap

Thanks
Chris

On Aug 3, 2022 at 5:36 PM,
Nonresponsive based on revised scope
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope
Nonresponsive Based on Revised Scope wrote:

Evening Chris,

I wanted to provide you with the total Tt START costs for the RV code TDs. Shiloh had four separate TDs, two were RS coded and two were RV coded. The total Tt START costs for the RV coded TDs came to: \$513,438.10 dollars. I'd like to setup a call to discuss the site with you, but wanted to provide you the information you requested in the SOW before the deadline listed in the new Shiloh Church Road TD.



This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Nonresponsive based on revised scope
Sent: Wednesday, August 3, 2022 2:38 PM
To: Wagner, Christine
<Wagner.Christine@epa.gov>
Subject: Shiloh Church Road Removal TD

Afternoon Chris,

and I discussed the new TD for the Shiloh site. I'm happy to take on the project and work with you on the site. I'm pulling the financial information now to get you total costs for the RV coded TDs by August 5, 2022.

still has a HASP on file that includes the sampling of residential wells. I'll work to have the sample coordinator begin drafting an ARF for the groundwater sampling event that needs to take place ASAP.

I'm available to discuss the site background, scheduling fieldwork, and site visit all this week.

I look forward to
hearing from you.

Thanks,

Nonresponsive based on revised scope

Environmental Scientist II

Business

Nonresponsive based on revised scope

Mobile

Nonresponsive Based on Revised Scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by

anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

<image001.png>

<image003.png>

<image005.png>

<image007.png>

Please consider the environment before printing. [Read more](#)

<image009.png>